



## SAFETY DATA SHEET

SDS: 1275

# 1275 ALMAPLEX® INDUSTRIAL LUBRICANT

Issuing Date 04-24-2012

Revision Date 04-15-2020

Revision Number 9.1

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product Identifier****Product Name** 1275 ALMAPLEX® INDUSTRIAL LUBRICANT**Other means of identification****Synonyms** No information available**Recommended use of the chemical and restrictions on use****Identified uses** Lubricant**Uses advised against** Consumer use**Details of the supplier of the safety data sheet****Manufacturer**Lubrication Engineers Inc.  
1919 E. Tulsa  
Wichita, KS 67216  
USA  
800-537-7683**Emergency Telephone Number**CHEMTREC: 1-800-424-9300 (NORTH AMERICA)  
+1-703-527-3887 (INTERNATIONAL)

SDS: 1275

**1275 ALMAPLEX® INDUSTRIAL LUBRICANT**

Issuing Date 04-24-2012

Revision Date 04-15-2020

Revision Number 9.1

**2. HAZARDS IDENTIFICATION****Classification****OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

**Label Elements****Emergency Overview****Signal Word**

None

**Hazard Statements**

None

The product contains no substances which at their given concentration, are considered to be hazardous to health

**appearance** orange**Physical state** Paste**Odor** Hydrocarbon-like**Precautionary Statements - Prevention**

None.

**Response**

None.

**Eyes**

None.

**Skin**

None.

**Inhalation**

None.

**Ingestion**

None.

**Fire**

None.

**Spill**

None.

**Storage**

None.

**Disposal**

None.

**Hazards not otherwise classified (HNOC)**

None

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No.	Weight-%
Petroleum distillates, hydrotreated heavy naphthenic	64742-52-5	60 - 70
Residual oils (petroleum), solvent dewaxed	64742-62-7	20 - 30

SDS: 1275

**1275 ALMAPLEX® INDUSTRIAL LUBRICANT**

Issuing Date 04-24-2012

Revision Date 04-15-2020

Revision Number 9.1

Zinc stearate	557-05-1	1 - 5
antimony dialkyldithiocarbamate	15890-25-2	1 - 5
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	1 - 5

The producer of "1275" declares that it contains less than 3% DMSO extractable material by IP-346

**4. FIRST AID MEASURES****First Aid Measures**

<b>General Advice</b>	If symptoms develop move victim to fresh air. Show this safety data sheet to the doctor in attendance. Do not breathe dust/fume/gas/mist/vapors/spray.
<b>Eye Contact</b>	Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while rinsing. Call a physician if irritation persists.
<b>Skin Contact</b>	Consult a physician if necessary. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Inhalation</b>	Move to fresh air. If symptoms persist, call a physician.
<b>Ingestion</b>	Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
<b>Protection of First-aiders</b>	Use personal protective equipment.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** None known.

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

<b>Flash Point</b>	232 °C / 478.4 °F
<b>Suitable Extinguishing Media</b>	Water spray, Carbon dioxide (CO2), Foam, Dry chemical
<b>Unsuitable Extinguishing Media</b>	Do not use a solid water stream as it may scatter and spread fire.
<b>Specific Hazards Arising from the Chemical</b>	Thermal decomposition can lead to release of irritating gases and vapors.
<b>Explosion Data</b>	
<b>Sensitivity to Mechanical Impact</b>	Not impact sensitive.
<b>Sensitivity to Static Discharge</b>	May be ignited by friction, heat, sparks or flames.
<b>Protective Equipment and Precautions for Firefighters</b>	Wear self-contained breathing apparatus and protective suit.

**NFPA** Health hazard 1 Flammability 1 Stability 1

**6. ACCIDENTAL RELEASE MEASURES**

SDS: 1275

**1275 ALMAPLEX® INDUSTRIAL LUBRICANT**

Issuing Date 04-24-2012

Revision Date 04-15-2020

Revision Number 9.1

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Do not touch or walk through spilled material. Remove all sources of ignition.

**Environmental Precautions**

**Environmental Precautions** Prevent entry into waterways, sewers, basements or confined areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

**Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

**Methods for Cleaning up** Use personal protective equipment. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

**7. HANDLING AND STORAGE****Precautions for safe handling**

**Advice on safe handling** Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Prevent vapor buildup by providing adequate ventilation during and after use. Do not eat, drink or smoke when using this product.

**Conditions for safe storage, including any incompatibilities**

**Technical measures/Storage conditions** Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

**Incompatible products.** Strong oxidizing agents. Strong acids. Strong bases.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control parameters****Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Zinc stearate 557-05-1	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup> TWA: 3 mg/mg3	TWA: 15 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> (vacated) TWA: 10 mg/m <sup>3</sup> (vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>
antimony dialkyldithiocarbamate 15890-25-2	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup> (vacated) TWA: 0.5 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Tightly fitting safety goggles.

**Skin and Body Protection** Long sleeved clothing. Protective gloves.

SDS: 1275

**1275 ALMAPLEX® INDUSTRIAL LUBRICANT**

Issuing Date 04-24-2012

Revision Date 04-15-2020

Revision Number 9.1

**Respiratory Protection**

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

Physical state	Paste
appearance	orange
Odor	Hydrocarbon-like
Odor threshold	No information available
<b>Property</b>	<b>Property</b>
pH	6 - 8
Melting Point / Freezing Point	No data available
Boiling Point/Range	no data available
Flash Point	232 °C / 478.4 °F
Upper flammability limit:	No data available
Lower Flammability Limit	No data available
Vapor pressure	No data available
Vapor Density	< 1 ( Air = 1 )
Specific Gravity	0.95
Water solubility	negligible
Partition Coefficient: n-octanol/water	no data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity, kinematic	not applicable

**10. STABILITY AND REACTIVITY**

**reactivity** No information available

**Chemical stability** Stable under recommended storage conditions.

**Possibility of Hazardous Reactions** None under normal processing.

**Conditions to Avoid** Heat, flames and sparks. Contact with other chemicals

**Incompatible Materials** Strong oxidizing agents. Strong acids. Strong bases.

**Hazardous Decomposition Products** Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke)

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

<b>Product Information</b>	Product does not present an acute toxicity hazard based on known or supplied information
<b>Inhalation</b>	May cause irritation of respiratory tract.
<b>Eye Contact</b>	Contact with eyes may cause irritation.
<b>Skin Contact</b>	May cause irritation.

SDS: 1275

**1275 ALMAPLEX® INDUSTRIAL LUBRICANT**

Issuing Date 04-24-2012

Revision Date 04-15-2020

Revision Number 9.1

**Ingestion**

There is no data available for this product.

**Component Information**

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	-
Residual oils (petroleum), solvent dewaxed 64742-62-7	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	= 2.18 mg/L ( Rat ) 4 h
Zinc stearate 557-05-1	> 10 g/kg ( Rat )	> 2000 mg/kg ( Rabbit )	-
antimony dialkyldithiocarbamate 15890-25-2	> 16400 mg/kg ( Rat )	> 16000 mg/kg ( Rabbit )	-
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	> 15000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	> 2400 mg/m <sup>3</sup> ( Rat ) 4 h

**Information on toxicological effects****Symptoms**

No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

The producer of "1275" declares that it contains less than 3% DMSO extractable material by IP-346

**Sensitization**

No information available.

**Mutagenic Effects**

No information available.

**Carcinogenicity**

No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5	-	-	-	-

**Reproductive toxicity**

No information available.

**Target Organ Effects**

Central Vascular System (CVS), Respiratory system, Eyes, Skin.

**Other Adverse Effects**

No information available.

**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	21036 mg/kg
ATEmix (dermal)	7892 mg/kg
ATEmix (inhalation-dust/mist)	2.5 mg/l

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

SDS: 1275

**1275 ALMAPLEX® INDUSTRIAL LUBRICANT**

Issuing Date 04-24-2012

Revision Date 04-15-2020

Revision Number 9.1

Chemical name	Algae/aquatic plants	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to daphnia and other aquatic invertebrates
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5	-	-	-	-
Residual oils (petroleum), solvent dewaxed 64742-62-7	-	LC50> 5000 mg/L Oncorhynchus mykiss 96 h	-	EC50 > 1000 mg/L 48 h
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	-	-	-	-

**Persistence and Degradability** No information available.**Bioaccumulation** .**Mobility** The product is insoluble and floats on water.**Other Adverse Effects** No information available**13. DISPOSAL CONSIDERATIONS****Waste treatment methods****Waste Disposal Methods** Dispose of in accordance with local regulations.**Contaminated Packaging** Do not re-use empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

This product contains one or more substances that are listed with the State of California as a hazardous waste

Chemical name	California Hazardous Waste Status
Zinc stearate 557-05-1	Toxic
antimony dialkyldithiocarbamate 15890-25-2	Toxic

**14. TRANSPORT INFORMATION****DOT** Not regulated**15. REGULATORY INFORMATION****International Inventories**TSCA Complies  
DSL/NDSL Not determined

SDS: 1275

**1275 ALMAPLEX® INDUSTRIAL LUBRICANT**

Issuing Date 04-24-2012

Revision Date 04-15-2020

Revision Number 9.1

NDSL	Not determined
EINECS	Not determined
ELINCS	Not determined
ENCS	Not determined
IECSC	Complies
KECL	Not determined
PICCS	Not determined
AICS	Complies

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Zinc stearate - 557-05-1	557-05-1	2.56603	1.0
antimony dialkyldithiocarbamate - 15890-25-2	15890-25-2	2.325	1.0

**SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	Yes
<b>Chronic Health Hazard</b>	No
<b>Fire Hazard</b>	No
<b>Sudden Release of Pressure Hazard</b>	No
<b>Reactive Hazard</b>	No

**Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc stearate 557-05-1		X		
antimony dialkyldithiocarbamate 15890-25-2		X		

**CERCLA**

This material does not contain any components with a CERCLA RQ.

**U.S. State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**



SDS: 1275

**1275 ALMAPLEX® INDUSTRIAL LUBRICANT**

Issuing Date 04-24-2012

Revision Date 04-15-2020

Revision Number 9.1

This product does not contain any substances regulated by state right-to-know regulations

**NFPA**

Health hazard 1

Flammability 1

Stability 1

**16. OTHER INFORMATION**

Issuing Date 04-24-2012  
Revision Date 04-15-2020  
Reason for revision General Information.

**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SDS is available at [www.LElubricants.com](http://www.LElubricants.com)

**End of Safety Data Sheet**