PEERLESS	ТМ/МС	OG2
----------	-------	-----

000003000895

Version 2.6

Revision Date 2020/06/19 Print Date 2020/06/19



Print Date 2020/06/

SECTION 1. IDENTIFICATION

Product name	: PEERLESS ^{TM/MC} OG2
Product code	: PLOG2P17, PLOG2KGL, PLOG2DRL, PLOG2, PLOG2C30

Manufacturer or supplier's details

		Petro-Canada America Lubricants LLC
		115N Oak Park Avenue #1C
		Oak Park IL 60301-1366
		United States
Telephone	:	+1 888-284-4572

Emergency telephone number

Emergency telephone number :	CHEMTREC: 1-800-424-9300; Poison Control Centre: Consult local telephone directory for emergency number(s).		
Recommended use of the chemical and restrictions on use			

Recommended use	:	Peerless OG Greases are calcium sulfonate thickened greases designed for high temperature multipurpose automotive and industrial applications such as chassis, bearings, and oven conveyors.
Prepared by	:	Product Safety: +1 905-491-0565

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Semi-solid.
Colour	tan
Odour	Mild petroleum oil like.

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Potential Health Effects

Primary Routes of Entry	: Eye contact Ingestion Inhalation Skin contact
Aggravated Medical Condi- tion	: None known.

000003000895



000003000895		
Version 2.6	Revision Date 2020/06/19	Print Date 2020/06/19
Other hazards None known.		
IARC	No component of this product presen equal to 0.1% is identified as probably human carcinogen by IARC.	
OSHA	No component of this product presen equal to 0.1% is on OSHA's list of reg	
NTP	No component of this product presen equal to 0.1% is identified as a knowr by NTP.	0

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), solvent-	64741-88-4	50 - < 70
refined heavy paraffinic; Baseoil -		
unspecified		
distillates (petroleum), solvent-	64742-65-0	20 - < 30
dewaxed heavy paraffinic		
calcium carbonate	471-34-1	10 - < 20
calcium dodecylbenzenesulphonate	26264-06-2	1 - < 3
Sulfonic acids, petroleum, calcium	61789-86-4	1 - < 5
salts		
Benzenesulfonic acid, C10-16-alkyl	68584-23-6	1 - < 5
derivs., calcium salts		
Benzenesulfonic acid, mono-C16-24-	70024-69-0	1 - < 5
alkyl derivs., calcium salts		
bis(nonylphenyl)amine	36878-20-3	1 - < 2.5

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice. In the event of a known, or potential, high pressure injection injury, worker should obtain immediate medical evaluation.
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

PEERLESS TM/MC OG2

000003000895



Version 2.6		Revision Date 2020/06/19	Print Date 2020/06/19
		Obtain medical attention.	
If swallowed	:	 Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice. 	
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion prod- ucts	:	Carbon oxides (CO, CO2), smoke and irritating vapours as products of incomplete combustion.
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions :	Do not allow uncontrolled discharge of product into the envi- ronment.
Methods and materials for : containment and cleaning up	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Advice on protection against	:	None known.
fire and explosion		

PEERLESS TM/MC OG2



000003000895

Version 2.6	Revision Date 2020/06/19	Print Date 2020/06/19
Advice on safe handling	 For personal protection see section Smoking, eating and drinking shot plication area. Use only with adequate ventilation In case of insufficient ventilation, equipment. Avoid contact with skin, eyes and Do not ingest. Keep away from heat and source Keep container closed when not in 	ould be prohibited in the ap- n. wear suitable respiratory I clothing. s of ignition.
Conditions for safe storage	: Store in original container. Containers which are opened mu kept upright to prevent leakage. Keep in a dry, cool and well-venti Keep in properly labelled containe To maintain product quality, do no light.	lated place. ers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace c	ontrol parameters
-----------------------------	-------------------

Components		CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
calcium carbonate	,	471-34-1	TWA (Res- pirable)	5 mg/m3 (Calcium car- bonate)	NIOSH REL
			TWA (total)	10 mg/m3 (Calcium car- bonate)	NIOSH REL
Engineering measures	:			nents. Good general worker exposure to a	
Personal protective equipme	ent				
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.			
Filter type	:	organic vapour filter			
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton(R).			
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.			
rnet: lubricants.petro-canada.com/se	ds				Page: 4 / 10

PEERLESS TM/MC OG2



000003000895

Version 2.6		Revision Date 2020/06/19	Print Date 2020/06/19	
Eye protection	:	Wear face-shield and protective suit for problems.	or abnormal processing	
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe cific work-place.		
Protective measures	:	Wash contaminated clothing before re	-use.	
Hygiene measures	:	Remove and wash contaminated cloth ing the inside, before re-use. Wash face, hands and any exposed sl		

handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Semi-solid.
Colour	:	tan
Odour	:	Mild petroleum oil like.
Odour Threshold	:	No data available
рН	:	No data available
Pour point	:	< -8 °C (< 18 °F) Base Fluid Blend
Boiling point/boiling range	:	No data available
Flash point	:	193 °C (379 °F) Method: Cleveland open cup Base Fluid Blend
Fire Point	:	220 °C (428 °F) Base Fluid Blend
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density ernet: lubricants.petro-canada.com/s	: ds	0.9938 kg/l (15 °C / 59 °F)

PEERLESS TM/MC OG2

000003000895

Version 2.6



Print Date 2020/06/19

Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Viscosity Viscosity, kinematic	:	73 cSt (40 °C / 104 °F) Base Fluid Blend
		9.4 cSt (100 °C / 212 °F) Base Fluid Blend
Explosive properties	:	Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. Stable under normal conditions.	
Conditions to avoid	:	No data available	
Incompatible materials	:	Reactive with oxidising agents.	
Hazardous decomposition products	:	May release COx, smoke and irritating vapours when heated to decomposition.	

SECTION 11. TOXICOLOGICAL INFORMATION

11.1	11.1 Information on toxicological effects							
	Information on likely routes of exposure	:	Eye contact Ingestion Inhalation Skin contact					
	Acute toxicity							
	Product:							
	Acute oral toxicity	:	Remarks: No data available					
	Acute inhalation toxicity	:	Remarks: No data available					
	Acute dermal toxicity	:	Remarks: No data available					
		ent-	refined heavy paraffinic; Baseoil - unspecified:					
	Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg,					

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg,

distillates (petroleum), solvent-dewaxed heavy paraffinic:

PEERLESS TM/MC OG2

000003000895



Version 2.6	Revision Date 2020/06/19	Print Date 2020/06/19
	Revision Date 2020/00/19	Pfifit Date 2020/00/19
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg,	
Acute dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg,	
calcium carbonate: Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg,	
Skin corrosion/irritation		
Product:		
Remarks	: No data available	
Serious eye damage/eye	ritation	
Product:		
Remarks	: No data available	
Respiratory or skin sensi	isation	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposur		
No data available		
SECTION 12. ECOLOGICAL IN	FORMATION	
Ecotoxicity		
Product:		
Toxicity to fish	: Remarks: No data available	
Toxicity to daphnia and oth aquatic invertebrates	r : Remarks: No data available	

Toxicity to algae : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Persistence and degradability

Product:



000003000895



Version 2.6	Revision Date 2020/06/19	Print Date 2020/06/19
Biodegradability	: Remarks: No data available	
Bioaccumulative potential No data available		
Mobility in soil No data available		
Other adverse effects No data available		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues :	 The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

National Regulations

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

California Prop. 65		This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other re- productive harm. For more information go to www.P65Warnings.ca.gov.
The components of this prod	duc	are reported in the following inventories:
DSL	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

PEERLESS TM/MC OG2


000003000895

PETROCANADA
PEIKUCANADA

Version 2.6	Revision Date 2020/06/19	Print Date 2020/06/19
AICS	: On the inventory, or in compliance	with the inventory
IECSC	: On the inventory, or in compliance	with the inventory
ENCS	: On the inventory, or in compliance	with the inventory
KECI	: On the inventory, or in compliance	with the inventory
EINECS	: On the inventory, or in compliance	with the inventory

SECTION 16. OTHER INFORMATION





HMIS® IV:

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour
		workday during a 40-hour workweek

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); Ecx - Concen-tration associated with x% response; EHS - Extremely Hazardous Substance; Elx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG -Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Me-

PEERLESS ^{™/MC} OG2

000003000895

Version 2.6

dian Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Invento-

ry of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For Copy of SDS	:	Internet: lubricants.petro-canada.com/sds United States, telephone: 1-800-268-5850; fax: 1-800-201- 6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
Revision Date	:	2020/06/19

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

Print Date 2020/06/19